



 **McIntyre**  
The gold standard in recycling systems

## McIntyre 5025SB Baler



# McIntyre 5025SB Metals Baler

An affordable metal baler, powerful enough to match the performance of much larger machines

## Strong and reliable

In line with all JMC machines, the 5025SB has been designed and built to last. The first 5025SB was built over 20 years ago and is still in constant daily use. The 5025SB has cutting blades around all three sides of the box so can handle oversized material. It has a fast cycle time and would be a valuable asset to any metal recycling facility.



## Why is this the best for you?

- cutting blades on 3 sides of the lid
- Fast cycle time
- Reliable and effective
- A wide range of applications
- Affordable with low running costs

## About McIntyre Recycling Systems & Services

McIntyre is the gold standard in recycling systems and services, with 27,000 machines installed worldwide and a reputation for the widest and best-performing range of solutions for metal, waste, cars and aluminium. With scrap metal roots extending back to 1872, we have an unrivalled understanding of the challenges faced by scrap merchants, waste managers, car breakers, manufacturers, foundry managers and others with recycling responsibilities. As a result, the McIntyre name has become synonymous with innovative, problem-solving designs, robust products that deliver the best return on investment, and a knowledgeable, friendly and helpful service.

## Technical Data

<b>Machine dimensions:</b>	3800 x 1550 x 1960mm
<b>Chamber opening:</b>	1016mm x 507mm (40" x 20") L x W
<b>Loading height:</b>	860mm / (40")
<b>Bale Size:</b>	507mm x 254mm x Variable (20" x 10") x variable
<b>Weight with oil:</b>	4720kg
<b>Oil capacity:</b>	300 Litres / 55 Gallon
<b>Noise Level:</b>	74 +/- 3dBA
<b>Control:</b>	Manual Control
<b>Standard Electrical Requirements:</b>	11kW (15hp)
<b>Power Rating:</b>	32A / 3ph / 380-415v / 50Hz
<b>Motor speed:</b>	960 rpm
<b>Max system Pressure:</b>	2250 psi / 155 Bar
<b>Max Compression Force:</b>	50 Tonnes
<b>Max Lid Shear Force:</b>	48 Tonnes

*While we make every effort to ensure that our information is correct, technical data is for guidance only and subject to change. If any dimension or performance indication is important to you, please check with us before ordering.*

© 2014 Copyright JMC Recycling Systems Ltd.  
All rights reserved