



**TRY BEFORE  
YOU BUY**

**TESTING LAB**




- Choose the most suitable equipment.
- Test your own material.
- Touch the result with your own hands.

## PMG 400

### PRE-SHREDDER WITH CONVEYOR

PMG pre-shredders, with high cutting efficiency, have been designed to reduce the size of different materials.

Production can be improved by choosing the appropriate grid for each specific material.







## EXAMPLES OF PROCESSED MATERIAL (INPUT / OUTPUT)




## TECHNICAL SPECIFICATIONS

- Loading hopper: 980 x 1660 mm
- Rotor diameter: 176 mm
- Pusher stroke: 400 mm
- Screen sizes: Ø 12-15-20-30-40 mm
- Number of rotating blades: 10
- Number of external blades: 4
- Number of counterblades: 1
- Drive type: V- belts
- Installed power: 12,5 kW - 25 A
- Voltage (standard): 380 V - 50 Hz
- Total weight: 1420 kg
- Noise level (not loaded): \_ db(A)



A	1560 mm
B	4682 mm
B1	4925 mm
C	2740 mm
C1	2035 mm
D	1715 mm
E	1660 mm
F	980 mm







#### WHY CHOOSE PMG 400

- Best price/quality ratio.
- Rapid return of the investment.
- High resale value maintained over time.
- Wide range of material that can be recycled..
- Automates production and reduces labor.
- Reduces use, wearing and maintaining on the granulating lines.
- Easy to use and maintain.
- Fast and reliable service by factory trained technicians.



**GUIDETTI EAST srl**  
 Str. I.V. Ispas, 14 - ap.3  
 555300 Cismădie - jud. SB - Romania  
 web : [www.guidettieast.com](http://www.guidettieast.com)  
 e.mail : [info@guidettieast.com](mailto:info@guidettieast.com)  
 Ph. +40.724544260

#### DIMENSIONS ON INPUT CABLE

- Max. cable diameter: Ø 60-80 mm
- Max. length rigid cable: 700-800 mm

#### OPTIONALS

- Discharge conveyor belt.  
(Standard version or with magnetic pulley)
- Extended warranty.

#### COMBINATIONS

- Conveyor belt.  
(For feeding or discharge)
- Granulator or recycling line.
- Densimetric table.
- Magnetic separator.
- Zig-Zag separator.
- Pneumatic transport.



#### WARRANTY EXTENTION

##### "YOU WORK WE CARE"

Warranty extensions can be purchased for up to 24-36 months from date of shipment. Extended warranty covers the replacement of parts that are defective. Wear items are excluded from all warranties. A yearly visit by a factory trained technician (2 or 3 depending on the extension purchased) will be made to verify the general condition of the equipment.